Printing date 25.11.2019 Version number 2 Revision: 25.11.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 75.050
- · Trade name: Rajasil EGM (Egalisiermörtel)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Coating material
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

HECK Wall Systems GmbH

Thölauer Strasse 25 95615 Marktredwitz Tel.: 0049 / 9231 8020 Fax: 0049 / 9231 802 330

- Further information obtainable from: Tel.: 09231-802-0 peter.aschhoff@wall-systems.com
- · 1.4 Emergency telephone number:

Giftnotruf Berlin +49 (0)30 30686700 - 24h-Service for national and international calls

## SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Cement, portland, chemicals

calcium dihydroxide

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

(Contd. on page 2)

Printing date 25.11.2019 Version number 2 Revision: 25.11.2019

Trade name: Rajasil EGM (Egalisiermörtel)

(Contd. of page 1)

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

P332+P313 If skin irritation occurs: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 65997-15-1	Cement, portland, chemicals	10-20%
	♦ Eye Dam. 1, H318;  ♦ Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1305-62-0	calcium dihydroxide	2-8%
EINECS: 215-137-3	Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; STOT SE 3, H335	
Reg.nr.: 01-2119475151-45-xxxx		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air and to be sure call for a doctor.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth with water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

*Use fire extinguishing methods suitable to surrounding conditions.* 

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Avoid dust formation.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

(Contd. on page 3)

Printing date 25.11.2019 Version number 2 Revision: 25.11.2019

Trade name: Rajasil EGM (Egalisiermörtel)

(Contd. of page 2)

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Prevent formation of dust.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

### 65997-15-1 Cement, portland, chemicals

WEL Long-term value: 10\* 4\*\* mg/m³ \*inhalable dust \*\*respirable dust

1305-62-0 calcium dihydroxide

WEL Long-term value: 5 mg/m<sup>3</sup>

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eves and skin.

## Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P2

#### Protection of hands:

Alkaline resistant gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

*To avoid skin problems reduce the wearing of gloves to the required minimum.* 

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 3)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.11.2019 Version number 2 Revision: 25.11.2019

Trade name: Rajasil EGM (Egalisiermörtel)

• Eye protection: Tightly sealed goggles • Body protection: Protective work clothing

## SECTION 9: Physical and chemical properties

<ul> <li>9.1 Information on basic phys</li> <li>General Information</li> </ul>	sical and chemical properties		
· Appearance:			
Form:	Powder		
Colour:	Grey		
Odour:	Product specific		
· Odour threshold:	Not determined.		
· pH-value:	ca.13		
· Change in condition  Melting point/freezing point: Undetermined.			
· Flash point:	Not applicable.		
· Flammability (solid, gas):	Not applicable.		
· Decomposition temperature:	Not determined.		
· Auto-ignition temperature:	Product is not self-igniting.		
· Explosive properties:	Product does not present an explosion hazard.		
· Vapour pressure:	Not applicable.		
Density:	Not determined.		
Relative density	Not determined.		
· Vapour density	Not applicable.		
· Evaporation rate	Not applicable.		
· Solubility in / Miscibility with			
water:	Fully miscible.		
· Viscosity:			
Dynamic:	Not applicable.		
Kinematic:	Not applicable.		
· Solvent content:			
Organic solvents:	0.0 %		
Water:	0.0 %		
Solids content:	100.0 %		
· 9.2 Other information	No further relevant information available.		

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Strong exothermic reaction with acids.
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)

Printing date 25.11.2019 Version number 2 Revision: 25.11.2019

Trade name: Rajasil EGM (Egalisiermörtel)

(Contd. of page 4)

• 10.5 Incompatible materials: No further relevant information available.

## **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Water hazard class 1 (German Regulation) (VwVwS.17.05.99/4): slightly hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Contact manufacturer for recycling information.
- · Uncleaned packaging:
- · Recommendation:

1 / 1 TINI November

Non contaminated packagings may be recycled.

Disposal must be made according to official regulations.

## SECTION 14: Transport information

· 14.1 UN-Number	
· ADR, ADN, IMDG, IATA	Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

(Contd. on page 6)

Printing date 25.11.2019 Version number 2 Revision: 25.11.2019

Trade name: Rajasil EGM (Egalisiermörtel)

Contd.	of p	age 5
--------	------	-------

(Contd. of page	
Void	
Void	
No	
Not applicable.	
Tarpol Tarpol	
Not applicable.	
Not dangerous according to the above specifications.	
Void	

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





· **Signal word** Danger

- · Hazard-determining components of labelling:

Cement, portland, chemicals

calcium dihydroxide

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

*P261* Avoid breathing dust.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

*P315 Get immediate medical advice/attention.* 

P332+P313 If skin irritation occurs: Get medical advice/attention.

- · National regulations:
- · Breakdown regulations: Critical quantity values according to the regulations on accidents should be adhered to.
- · Waterhazard class: Water hazard class 1 (German Regulation VwVwS.17.05.99/4): slightly hazardous for water.

(Contd. on page 7)

Printing date 25.11.2019 Version number 2 Revision: 25.11.2019

Trade name: Rajasil EGM (Egalisiermörtel)

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

## Department issuing SDS:

Tel.: 0049/9231-802-0 Fax: 0049/9231-802-330

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* \* Data compared to the previous version altered.

GB -